

SEAMLESS & WELDED PIPE



SEAMLESS & WELDED PIPE



NOMINAL PIPE SIZE	OD		SCHEDULE DESIGNATIONS		WALL THICKNESS		WEIGHT		ID					
	INCH MM	INCH MM	ASME		INCH	MM	LBS/FOOT	KG/METER	INCH	MM				
16 400	16.000 406.4		10S	10	0.188	4.78	31.78	47.34	15.624	396.84				
				20	0.250	6.35	42.09	62.65	15.500	393.70				
				STD 30	0.312	7.92	52.32	77.83	15.376	390.56				
				40S	0.375	9.53	62.64	93.27	15.250	387.34				
				XS 40	0.500	12.70	82.85	123.31	15.000	381.00				
				60	0.656	16.66	107.60	160.13	14.688	373.08				
				80	0.844	21.44	136.74	203.54	14.312	363.52				
				100	1.031	26.19	164.98	245.57	13.938	354.02				
				120	1.219	30.96	192.61	286.66	13.562	344.48				
				140	1.438	36.53	223.85	333.21	13.124	333.34				
				160	1.594	40.49	245.48	365.38	12.812	325.42				
				18 450	18.000 457		10S	10	0.188	4.78	35.80	53.31	17.624	447.44
								20	0.250	6.35	47.44	70.57	17.500	444.30
STD 30	0.312	7.92	58.99					87.71	17.376	441.16				
40S	0.375	9.53	70.65					105.17	17.250	437.94				
XS 40	0.438	11.13	82.23					122.38	17.124	434.74				
60	0.562	14.27	104.76					155.81	16.876	428.46				
80	0.750	19.05	138.30					205.75	16.500	418.90				
100	0.938	23.83	171.08					254.57	16.124	409.34				
120	1.156	29.36	208.15					309.64	15.688	398.28				
140	1.375	34.93	244.37					363.58	15.250	387.14				
160	1.562	39.67	274.48					408.28	14.876	377.66				
180	1.781	45.24	308.79					459.39	14.438	366.52				
20 500	20.000 508		10S					10	0.218	5.54	46.10	68.61	19.564	496.92
				20	0.250	6.35	52.78	78.56	19.500	495.30				
				STD 30	0.312	7.92	64.32	93.27	19.376	492.16				
				40S	0.375	9.53	76.67	117.15	19.250	488.94				
				XS 30	0.500	12.70	104.23	155.13	19.000	482.60				
				60	0.594	15.09	123.23	183.43	18.812	477.82				
				80	0.812	20.62	166.56	247.84	18.376	466.76				
				100	1.031	26.19	209.06	311.19	17.938	455.62				
				120	1.281	32.54	256.34	381.55	17.438	442.92				
				140	1.500	38.10	296.65	441.52	17.000	431.80				
				160	1.750	44.45	341.41	508.15	16.500	419.10				
				180	1.969	50.01	379.53	564.85	16.062	407.98				
				22 550	22.000 559		10S	10	0.218	5.54	50.76	75.55	21.564	547.92
20	0.250	6.35	58.13					86.55	21.500	546.30				
STD 30	0.312	7.92	70.65					105.17	21.376	543.16				
40S	0.375	9.53	86.69					129.14	21.250	539.94				
XS 30	0.500	12.70	114.92					171.10	21.000	533.60				
60	0.875	22.23	197.60					294.27	20.250	514.54				
80	1.125	28.58	251.05					373.85	19.750	501.84				
100	1.375	34.93	303.16					451.45	19.250	489.14				
120	1.625	41.28	353.94					527.05	18.750	476.44				
140	1.875	47.63	403.38					600.67	18.250	463.74				
160	2.125	53.98	451.49					672.30	17.750	451.04				

NOMINAL PIPE SIZE	OD		SCHEDULE DESIGNATIONS		WALL THICKNESS		WEIGHT		ID					
	INCH MM	INCH MM	ASME		INCH	MM	LBS/FOOT	KG/METER	INCH	MM				
24 600	24.000 610		10S	10	0.250	6.35	63.47	94.53	23.500	597.30				
				20	0.375	9.53	94.71	141.12	23.250	590.94				
				STD 40S	0.500	12.70	125.61	187.07	23.000	584.60				
				60	0.562	14.27	140.81	209.65	22.876	581.46				
				80	0.688	17.48	171.45	255.43	22.624	575.04				
				100	0.969	24.61	238.57	355.28	22.062	560.78				
				120	1.219	30.96	296.86	442.11	21.562	548.08				
				140	1.531	38.89	367.74	547.74	20.938	532.22				
				160	1.812	46.02	429.79	640.07	20.376	517.96				
				180	2.062	52.37	483.57	720.19	19.876	505.26				
				200	2.344	59.54	542.64	808.27	19.312	490.92				
				26 650	26.000 660		10S	10	0.312	7.92	85.68	127.36	25.376	644.16
								20	0.375	9.53	102.72	152.88	25.250	640.94
STD 40S	0.500	12.70	136.30					202.74	25.000	634.60				
60	0.312	7.92	92.35					137.32	27.376	695.16				
80	0.375	9.53	110.74					164.86	27.250	691.94				
100	0.500	12.70	146.99					218.71	27.000	685.60				
28 700	28.000 711		10S	10	0.312	7.92	92.35	137.32	27.376	695.16				
				20	0.375	9.53	110.74	164.86	27.250	691.94				
				STD 40S	0.500	12.70	146.99	218.71	27.000	685.60				
				60	0.625	15.88	182.90	272.23	26.750	679.24				
				80	0.312	7.92	99.02	147.29	29.376	746.16				
				100	0.375	9.53	118.76	176.85	29.250	742.94				
30 750	30.000 762		10S	10	0.312	7.92	99.02	147.29	29.376	746.16				
				20	0.375	9.53	118.76	176.85	29.250	742.94				
				STD 40S	0.500	12.70	157.68	234.68	29.000	736.60				
				60	0.625	15.88	196.26	292.20	28.750	730.24				
				80	0.312	7.92	105.69	157.25	31.376	797.16				
				100	0.375	9.53	126.78	188.83	31.250	793.94				
32 800	32.000 813		10S	10	0.312	7.92	105.69	157.25	31.376	797.16				
				20	0.375	9.53	126.78	188.83	31.250	793.94				
				STD 40S	0.500	12.70	168.37	250.65	31.000	787.60				
				60	0.625	15.88	209.62	312.17	30.750	781.24				
				80	0.688	17.48	230.29	342.94	30.624	778.04				
				100	0.312	7.92	112.36	167.21	33.376	848.16				
34 850	34.000 864		10S	10	0.312	7.92	112.36	167.21	33.376	848.16				
				20	0.375	9.53	134.79	200.82	33.250	844.94				
				STD 40S	0.500	12.70	179.06	266.63	33.000	838.60				
				60	0.625	15.88	222.99	332.14	32.750	832.24				
				80	0.688	17.48	245.00	364.92	32.624	829.04				
				100	0.312	7.92	119.03	176.97	35.376	898.16				
36 900	36.000 914		10S	10	0.312	7.92	119.03	176.97	35.376	898.16				
				20	0.375	9.53	142.81	212.57	35.250	894.94				
				STD 40S	0.500	12.70	189.75	282.29	35.000	888.60				
				60	0.375	9.53	166.86	248.53	41.250	1047.94				
				80	0.500	12.70	221.82	330.21	41.000	1041.60				
				100	0.625	15.88	276.44	411.64	40.750	1035.24				
42 1050	42.000 1067		10S	10	0.375	9.53	166.86	248.53	41.250	1047.94				
				20	0.500	12.70	221.82	330.21	41.000	1041.60				
				STD 40S	0.625	15.88	276.44	411.64	40.750	1035.24				
				60	0.750	19.05	330.72	492.33	40.500	1028.90				
				80	0.375	9.53	190.92	284.25	47.250	1199.94				
				100	0.500	12.70	253.89	377.81	47.000	1193.60				